

SUMMARY OF WATER SAMPLE TEST-REPORTS

(Whether it's Drinkable or Not)

Sr. No.	Code of (water Sample)	Date (water Sampling)	Location/ Name of Place Or Person of (water Sample collection)	RESULT (Drinkable or Not)
1	W-06022026001	5/2/2026	Jitender Awasthi , 21/1 Agency)	FAIL = NOT DRINKABLE
2	W-06022026002	5/2/2026	Ishan Gupta , 2049, Sec.-D, Sudama Nagar	FAIL = NOT DRINKABLE
3	W-06022026003	5/2/2026	Virender Holkar, 2010, Sec.-D, Sudama Nagar	FAIL = NOT DRINKABLE
4	W-06022026004	5/2/2026	Alkesh Jhavar, 1669, Sec-D	PASS = DRINKABLE
5	W-06022026005	5/2/2026	Umesh Yadav, 48/3, Ramganj Agency	FAIL = NOT DRINKABLE
6	W-06022026006	5/2/2026	Mata Anand Deswari Temple, 938/A, Sudama Nagar	FAIL = NOT DRINKABLE
7	W-06022026007	5/2/2026	Bhagwati Prasad Saxsena, 899 A, Sudama Nagar	PASS = DRINKABLE
8	W-06022026008	5/2/2026	Prema Verma , 124, Khandel pura	FAIL = NOT DRINKABLE
9	W-06022026009	5/2/2026	Anamd Billor, 40/01, North Raj Mohalla	FAIL = NOT DRINKABLE
10	W-060220260010	5/2/2026	Gurudwara Nagar Back Side, 1134, Near Sudama Nagar	FAIL = NOT DRINKABLE
11	W-060220260011	5/2/2026	Satya Narayan Kumawat, 1666 B, Sector-D	FAIL = NOT DRINKABLE
12	W-060220260012	5/2/2026	Mukesh Kaushal, 39, Khandel pura, Gokulganj	FAIL = NOT DRINKABLE
13	W-060220260013	5/2/2026	Shanti Lal Pal, 186/01, Gadeya Mohalla, Dhar Rorad	FAIL = NOT DRINKABLE
14	W-060220260014	5/2/2026	Chandra Shekhar Gupta, 1651, Sector-D, Sudama Nagar	FAIL = NOT DRINKABLE
15	W-060220260015	5/2/2026	Shashi Kant Dubey, Dudhh Dairy Colony	FAIL = NOT DRINKABLE
16	W-060220260016	5/2/2026	Sanjay Baklibal, 35/1, North Ray Mohalla	FAIL = NOT DRINKABLE
17	W-060220260017	5/2/2026	Sunil pal (Block Adhayaksha), Gateria Mohalla	FAIL = NOT DRINKABLE
18	W-060220260018	5/2/2026	Anchal Awasthi, 21/1, Shankar Ganj Agency	FAIL = NOT DRINKABLE
19	W-060220260019	5/2/2026	Ravi Chauhan,	FAIL = NOT DRINKABLE
20	W-060220260020	5/2/2026	Sunil Dubey, 2016 , Sector-D, Sudama Nagar	FAIL = NOT DRINKABLE
21	W-060220260021	5/2/2026	16 Pump, Temple	FAIL = NOT DRINKABLE
22	W-07022026001	6/2/2026	Vikash Nagar, Ward No- 46 (S-1)	FAIL = NOT DRINKABLE
23	W-07022026002	6/2/2026	Vikash Nagar, Ward No- 46 (S-2)	FAIL = NOT DRINKABLE
24	W-07022026003	6/2/2026	Vikash Nagar, Ward No- 46 (S-3)	FAIL = NOT DRINKABLE
25	W-07022026004	6/2/2026	Umesh Nimrol, 67, Ward No-46	PASS = DRINKABLE
26	W-07022026005	6/2/2026	Mukand , 30, Ward No-46	FAIL = NOT DRINKABLE
27	W-07022026006	6/2/2026	Dinesh Shivahare, Ward No-46	FAIL = NOT DRINKABLE
28	W-07022026007	6/2/2026	Naya Basera, Ward No-44 (S-1)	FAIL = NOT DRINKABLE
29	W-07022026008	6/2/2026	Naya Basera, Ward No-44 (S-2)	FAIL = NOT DRINKABLE

30	W- 07022026009	6/2/2026	Naya Basera, Ward No-44 (S-3)	FAIL = NOT DRINKABLE
31	W- 070220260010	6/2/2026	Subodh Pandey, 933, Sudama Nagar	FAIL = NOT DRINKABLE
32	W- 070220260011	6/2/2026	Satish Dixit, 113, Khandel pura	PASS = DRINKABLE
33	W- 070220260012	6/2/2026	Tilak Nagar	FAIL = NOT DRINKABLE
34	W- 070220260013	6/2/2026	Raj Kumar Mali, Word No-46, Zone-9	FAIL = NOT DRINKABLE
35	W- 070220260014	6/2/2026	Vinod Yadav , 124, Balda Jhopad Patti	FAIL = NOT DRINKABLE
36	W- 070220260015	6/2/2026	Gauri Sankar, 48, Gokulganj	FAIL = NOT DRINKABLE
37	W- 070220260016	6/2/2026	Murari Khanna, 194, Balda Colony, Jhopad patti	FAIL = NOT DRINKABLE
38	W- 070220260017	6/2/2026	Jarwa Compound	FAIL = NOT DRINKABLE
39	W- 070220260018	6/2/2026	Gov. Hospital , 188, Kailashpuri (S-01)	FAIL = NOT DRINKABLE
40	W- 070220260019	6/2/2026	Gov. Hospital , 188, Kailashpuri (S-02)	FAIL = NOT DRINKABLE
41	W- 070220260020	6/2/2026	75, Pipiyana Khan	FAIL = NOT DRINKABLE
42	W- 070220260021	6/2/2026	70/01, Pipiyana Khan	FAIL = NOT DRINKABLE
43	W- 09022026001	7/2/2026	Vijay Agarwal, 50, Brijeshwari Extension (Sample-1)	FAIL = NOT DRINKABLE
44	W- 09022026002	7/2/2026	Vijay Agarwal, 50, Brijeshwari Extension (Sample-2)	FAIL = NOT DRINKABLE
45	W- 09022026003	7/2/2026	Adv. Ishu Khan, H.No.-220, Chauhan Nagar (Sample-1)	FAIL = NOT DRINKABLE
46	W- 09022026004	7/2/2026	Adv. Ishu Khan, H.No.-220, Chauhan Nagar (Sample2)	FAIL = NOT DRINKABLE
47	W- 09022026005	7/2/2026	Chauhan Nagar, Ward No 50 , 19 Lane (Starting)	FAIL = NOT DRINKABLE
48	W- 09022026006	7/2/2026	Chauhan Nagar, Ward No 50 , 19 Lane (End)	FAIL = NOT DRINKABLE
49	W- 09022026007	8/2/2026	Anshul Chauhan H. No.-456, Ward No 49, Tilak Nagar (Sample 1)	PASS = DRINKABLE
50	W- 09022026008	8/2/2026	Anshul Chauhan H. No.-456, Ward No 49, Tilak Nagar (Sample 2)	FAIL = NOT DRINKABLE
51	W- 09022026009	8/2/2026	Iliyash Colony (Starting)	PASS = DRINKABLE
52	W- 09022026010	8/2/2026	Smill Bhai , Abib Colony	FAIL = NOT DRINKABLE
53	W- 09022026011	8/2/2026	Bittu Sharma, Abib Colony Khajrana , Near Noor Kiryana Store	PASS = DRINKABLE
54	W- 09022026012	8/2/2026	Bittu Sharma H No. 6, Iliyash Colony	PASS = DRINKABLE
55	W- 09022026013	8/2/2026	Achal Bapana, Mahaveer Nagar, H. No. 77, Word No 49 (Sample-1),	PASS = DRINKABLE
56	W- 09022026014	8/2/2026	Achal Bapana, Mahaveer Nagar, H. No. 77, Word No 49 (Sample-2),	PASS = DRINKABLE
57	W- 09022026015	8/2/2026	Sh, Heera Lal Patel, H. No. 260, Badi wali Toli, Prem Mandir	PASS = DRINKABLE
58	W- 09022026016	8/2/2026	Radhe Singh, H. No. 69, Badi Tole	PASS = DRINKABLE
59	W- 09022026017	8/2/2026	Chetan Verma,. Badi wali Toli, Ward No 48	PASS = DRINKABLE

60	W- 10022026001	9/2/2026	Abhijit Sharma (Bittu) Gumasta Nagar, 527-518 (Border)	FAIL = NOT DRINKABLE
61	W- 10022026002	9/2/2026	Pawan Bhatiya , Ravenue Nagar	FAIL = NOT DRINKABLE
62	W- 10022026003	9/2/2026	Hari Patel , Scheme No-71, AJAK, Sector 145	PASS = DRINKABLE
63	W- 10022026004	9/2/2026	Sudhir Shethiya, Scheme No-71, AJAK- 154	FAIL = NOT DRINKABLE
64	W- 10022026005	9/2/2026	Dr N.K. Sahu, Scheme No-71, 14 AJAK Sector	FAIL = NOT DRINKABLE
65	W- 10022026006	9/2/2026	Nichali Fail Dasahra Maidan Near Nurshing Kundal wal	PASS = DRINKABLE
66	W- 10022026007	9/2/2026	Mata Anandeswari Temple Campus, Sudama Nagar, Sector -A	PASS = DRINKABLE
67	W- 10022026008	9/2/2026	1133, Front Side, Gurudwara, Near by Sudama Nagar	FAIL = NOT DRINKABLE
68	W- 10022026009	9/2/2026	Jitendra Jaiswal , 1120, Sudama Nagar, Sec-A	PASS = DRINKABLE
69	W- 10022026010	9/2/2026	Lal Dhara, Shiva Temple Campus , Sudama Nagar	PASS = DRINKABLE
70	W-1002202611	9/2/2026	Praveen Patani , Jain Colony, Ward -75	PASS = DRINKABLE
71	W- 11022026001	10/2/2026	Satish Rathore, H.No. 83, Ward -43, Mohalla Shree Nagar, Kakara (Starting)	FAIL = NOT DRINKABLE
72	W- 11022026002	10/2/2026	Satish Rathore, H.No. 83, Ward -43, Mohalla Shree Nagar, Kakara (End)	FAIL = NOT DRINKABLE
73	W- 11022026003	10/2/2026	Hamida, H.No. 84, Ward -43, Mohalla Shree Nagar, Kakara (Starting)	FAIL = NOT DRINKABLE
74	W- 11022026004	10/2/2026	Hamida, H.No. 84, Ward -43, Mohalla Shree Nagar, Kakara (End)	FAIL = NOT DRINKABLE
75	W- 11022026005	10/2/2026	Dr Prakash Nayak, H. No. 240, Ward NO -43, Mohalla -Ravi Nagar	FAIL = NOT DRINKABLE
76	W- 12022026001	11/2/2026	Yogesh Dubey, 70, Patkar Colony	FAIL = NOT DRINKABLE
77	W- 12022026002	11/2/2026	Yogesh Dubey, 76, Patkar Colony	PASS = DRINKABLE
78	W- 12022026003	11/2/2026	Mahajan Sahab, 68, Patkar Colony	FAIL = NOT DRINKABLE
79	W- 12022026004	11/2/2026	Vivek Sharma, 80-B, Goyal Vihar	PASS = DRINKABLE
80	W- 12022026005	11/2/2026	64-A, Goyal Vihar	PASS = DRINKABLE
81	W- 12022026006	11/2/2026	Nattu Bhagwat , Sunderbagh Colony, M.R.-9 (Prem Sadan)	PASS = DRINKABLE
82	W- 12022026007	11/2/2026	Manish Kachhwai , Ram Krishna Bagh Near Sai Nath Atta Chakki	PASS = DRINKABLE
83	W- 12022026008	11/2/2026	Mukesh Chaurasiya, Maya Puri	PASS = DRINKABLE
84	W- 12022026009	11/2/2026	Nattu Bhagwat, Dhiraj Nagar, Mahak Vatika Back Side	FAIL = NOT DRINKABLE
85	W- 12022026010	11/2/2026	C.S. Sharma, Goyal Vihar	FAIL = NOT DRINKABLE
86	W- 12022026011	11/2/2026	Anil Bundela, Goyal Vihar	PASS = DRINKABLE
87	W- 12022026012	11/2/2026	Nirav Tukeria, 56, Patkar Colony (Starting)	PASS = DRINKABLE
88	W- 12022026013	11/2/2026	Race Course Road	FAIL = NOT DRINKABLE

89	W- 13022026001	12/2/2026	Manoj Kushwaha, Dhitaj Nagar, Gali No-1	FAIL = NOT DRINKABLE
90	W- 13022026002	12/2/2026	Dhitaj Nagar, Gali No-1, H.No. 11	FAIL = NOT DRINKABLE
91	W- 13022026003	12/2/2026	Near New Nageshwar Academy, Yadav Showroom, (Dhiraj Nagar)	FAIL = NOT DRINKABLE
92	W- 13022026004	12/2/2026	Shushil Jaiswal, Shiv Bagh, H.NO.-54	FAIL = NOT DRINKABLE
93	W- 13022026005	12/2/2026	Ramesh Sain , Shiv Bagh, Gali No. 5, Ward -40	PASS = DRINKABLE
94	W- 14022026001	13/2/2026	Atithi Restaurent Bhakt Belat Nagar, Ward 69	FAIL = NOT DRINKABLE
95	W- 14022026002	13/2/2026	Biyawani-Near Adarsh Seat Cover, H.No. -50/2	FAIL = NOT DRINKABLE
96	W- 14022026003	13/2/2026	Biyawani, Gali No.-1, Near Choudhary Kirana Store	FAIL = NOT DRINKABLE
97	W- 14022026004	13/2/2026	Umesh Badigi, H. No.-48 Bhagat Singh Marg, Malganj	FAIL = NOT DRINKABLE
98	W- 14022026005	13/2/2026	Tara Chand, Tin Malganj, H. No.-2, Near Prachin Hanuman Temple	FAIL = NOT DRINKABLE
99	W- 14022026006	13/2/2026	Etawariya Bazaar, Hukum Chand Marg, H. No.-58, Near Hanuman Mandir	FAIL = NOT DRINKABLE
100	W- 14022026007	13/2/2026	Madhu Gupta, Lohar patti, Main Road Indore	FAIL = NOT DRINKABLE
101	W- 14022026008	13/2/2026	Lohar patti, main Road Naliya Bakhal Chauraha, H.No.-42, Near Palwal Sev Namkeen	FAIL = NOT DRINKABLE
102	W- 14022026009	13/2/2026	H. No.-27, Dhiyawani Main Road, Pappu Road	FAIL = NOT DRINKABLE
103	W- 14022026010	13/2/2026	Arjun Pura Lalbagh Front, Gali No.1, (Starting Point)	FAIL = NOT DRINKABLE
104	W- 14022026011	13/2/2026	Arjun Pura Lalbagh Front, Gali No.1, (End Point)	PASS = DRINKABLE
105	W- 14022026012	13/2/2026	Arjun Pura, Gali No.2, (End Point)	FAIL = NOT DRINKABLE
106	W- 14022026013	13/2/2026	Kailash Thakur Jwahr Nagar Jhuggi Patti,	PASS = DRINKABLE
107	W- 14022026014	13/2/2026	Laxmi Davhade Jwahr Nagar Jhuggi Patti, Ward -67	PASS = DRINKABLE
108	W- 14022026015	13/2/2026	Raju Raghuvanshi, 1018- Sudama Nagar, Datta Temple Gali.	FAIL = NOT DRINKABLE
109	W- 18022026004	16/2/2026	Kailash Yadav, H. No. 68 L, Scheme No 51	FAIL = NOT DRINKABLE
110	W- 18022026005	16/2/2026	Raj Yadav, Sunder Nagar Gali No.1	FAIL = NOT DRINKABLE
111	W- 18022026006	16/2/2026	Sachin Yadav, 1 Laxmipuri, Ward -13	FAIL = NOT DRINKABLE
112	W- 18022026007	16/2/2026	Sunder Nagar, Ward No 17	FAIL = NOT DRINKABLE
113	W- 18022026008	16/2/2026	Rajesh Pata, 5, Laxmipuri, Ward -13	PASS = DRINKABLE
114	W- 18022026009	16/2/2026	Sanjay Mishra, Rambali Nagar,, Ward-15	PASS = DRINKABLE
115	W- 18022026010	16/2/2026	Bhola Sharma, Sunder Nagar, Gali No. 1, Ward-17	PASS = DRINKABLE